

Part of Thermo Fisher Scientific

SAFETY DATA SHEET

Creation Date 27-Sep-2010 Revision Date 04-May-2016 **Revision Number** 3

1. Identification

Product Name Zinc chloride

Cat No.: Z31-3; Z32-12; Z32-50; Z32-212; Z32-500; Z33-3; Z33-100; Z33-500;

Z34-12; Z34-212; S802471

Zinc butter; Zinc dichloride (Powder/Granular/Crystalline/Technical/USP/EP/BP/JP/Certified **Synonyms**

ACS)

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Company **Emergency Telephone Number**

Fisher Scientific CHEMTREC®, Inside the USA: 800-424-9300 One Reagent Lane CHEMTREC®, Outside the USA: 001-703-527-3887

Fair Lawn, NJ 07410 Tel: (201) 796-7100

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Category 4 Skin Corrosion/irritation Category 1 B Serious Eye Damage/Eye Irritation Category 1 Specific target organ toxicity (single exposure) Category 3

Target Organs - Respiratory system.

Label Elements

Signal Word

Danger

Hazard Statements

Harmful if swallowed Causes severe skin burns and eye damage

May cause respiratory irritation



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

Rinse mouth

Do NOT induce vomiting

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

3. Composition / information on ingredients

Component	CAS-No	Weight %
Zinc chloride	7646-85-7	>95

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Call a physician immediately.

InhalationMove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or Poison Control Center

immediately. If not breathing, give artificial respiration.

Ingestion Do not induce vomiting. Immediate medical attention is required. Drink plenty of water.

Never give anything by mouth to an unconscious person.

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric Most important symptoms/effects

lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Treat symptomatically Notes to Physician

Fire-fighting measures

Suitable Extinguishing Media CO₂, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

No information available **Flash Point** Method -No information available

Autoignition Temperature

Explosion Limits

Not applicable

Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available No information available Sensitivity to Static Discharge

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous Combustion Products

Hydrogen chloride gas zinc

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NI	_	п	
IV	_	_	A

Handling

Health	Flammability	Instability	Physical hazards
3	0	1	N/A

Accidental release measures

Use personal protective equipment. Evacuate personnel to safe areas. Avoid contact with **Personal Precautions**

skin, eyes and clothing.

Environmental Precautions Do not flush into surface water or sanitary sewer system. Do not allow material to

contaminate ground water system. Prevent product from entering drains. Local authorities

should be advised if significant spillages cannot be contained.

Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust Up

formation.

7. Handling and storage
Use only under a chemical fume hood. Wear personal protective equipment. Do not get in
eyes, on skin, or on clothing. Do not breathe dust. Do not ingest.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

8. Exposure controls / personal protection

Exposure Guidelines

Zinc chloride

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Zinc chloride	TWA: 1 mg/m³ STEL: 2 mg/m³	(Vacated) TWA: 1 mg/m³ (Vacated) STEL: 2 mg/m³ TWA: 1 mg/m³	IDLH: 50 mg/m³ TWA: 1 mg/m³ STEL: 2 mg/m³

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Zinc chloride	TWA: 1 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³
	_	STEL: 2 mg/m ³	STEL: 2 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Long sleeved clothing.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Solid
Appearance White
Odor Odorless

Odor Threshold
PH
No information available
5 100 g/L aq.sol

Melting Point/Range293 °C / 559.4 °FBoiling Point/Range732 °C / 1349.6 °FFlash PointNo information available

Evaporation Rate Not applicable

Flammability (solid,gas)

No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressure1.3 mbar @ 428 °CVapor DensityNot applicable

Specific GravityNo information availableBulk Density1,400 - 1,800 kg/m³ (20 °C)SolubilityNo information available

Partition coefficient; n-octanol/water

No data available

Autoignition Temperature

Not applicable

Decomposition TemperatureNo information available

ViscosityNot applicableMolecular FormulaCl2 ZnMolecular Weight136.29

10. Stability and reactivity

Revision Date 04-May-2016

Zinc chloride

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat.

Strong bases, Strong acids, Cyanides, Sulfides **Incompatible Materials**

Hazardous Decomposition Products Hydrogen chloride gas, zinc

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Zinc chloride	350 mg/kg (Rat)	Not listed	Not listed

Toxicologically Synergistic

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

No information available Sensitization

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Zinc chloride	7646-85-7	Not listed				

Mutagenic Effects No information available

Reproductive Effects No information available.

No information available. **Developmental Effects**

No information available. **Teratogenicity**

STOT - single exposure Respiratory system STOT - repeated exposure None known

Aspiration hazard No information available

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

No information available **Endocrine Disruptor Information**

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea	
Zinc chloride	EC50: 0.027-0.105 mg/L/72h	LC50: 0.4-2.2 mg/L/96h	Not listed	EC50: 0.2 mg/L/48h	

Revision Date 04-May-2016

Zinc chloride

(Cyprinus carpio)

Persistence and Degradability Bioaccumulation/ Accumulation

Soluble in water Persistence is unlikely based on information available.

No information available.

Mobility

Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN2331

Proper Shipping Name ZINC CHLORIDE, ANHYDROUS

Hazard Class 8
Packing Group III

TDG

UN-No UN2331

Proper Shipping Name ZINC CHLORIDE, ANHYDROUS

Hazard Class 8
Packing Group III

IATA

UN-No UN2331

Proper Shipping Name ZINC CHLORIDE, ANHYDROUS

Hazard Class 8
Packing Group

IMDG/IMO

UN-No UN2331

Proper Shipping Name ZINC CHLORIDE, ANHYDROUS

Hazard Class 8
Packing Group III

15. Regulatory information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Zinc chloride	Х	Х	-	231-592-0	-		Х	Χ	Χ	Х	Х

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold
-----------	--------	----------	----------------------

Zinc chloride

			Values %
Zinc chloride	7646-85-7	>95	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Zinc chloride	X	1000 lb	X	-

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration

Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Zinc chloride	1000 lb	-

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Zinc chloride	X	X	X	=	X

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class E Corrosive material

D1B Toxic materials D2B Toxic materials

Revision Date 04-May-2016

Zinc chloride



16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date 27-Sep-2010 **Revision Date** 04-May-2016 **Print Date** 04-May-2016

This document has been updated to comply with the US OSHA HazCom 2012 Standard **Revision Summary**

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS