

1. Product and Company Identification					
Product Name	Evap Pow'R C (4168)				
CAS #	Mixture				
Product use	Evaporator Coll Cleaner				
Manufacturer	Nu-Calgon 2008 Altom Court St. Louis, MO 63146 US Phone: 314-469-7000 / 800-554-5499 Emergency Phone: 1-800-424-9300 (CHEMTREC)				
	2. Hazards Identification				
Emergency overview	CAUTION MAY CAUSE SKIN IRRITATION. MAY CAUSE EYE IRRITATION. MAY CAUSE RESPIRATORY TRACT IRRITATION.				
Potential short term health effect	ts				
Routes of exposure	Eye, Skin contact, Skin absorption, Inhalation, Ingestion.				
Eyes	May cause irritation.				
Skin	May cause irritation. May be absorbed through the skin.				
NIOSH - Pocket Guide - Skin No	stations				
Ethylene glycol monobutyl ether	111-76-2 Potential for dermal absorption				
Inhalation	Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).				
Ingestion	May cause stomach distress, nausea or vomiting.				
Target organs	Blood. Eyes. Kidney. Liver. Respiratory system. Skin.				
Chronic effects	Prolonged or repeated exposure can cause drying, defatting and dermatitis.				
Signs and symptoms	Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.				
OSHA Regulatory Status	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.				
Potential environmental effects	Components of this product have been identified as having potential environmental concerns.				

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Ethylene glycol monobutyl ether	111-76-2	3 - 7
Sodium xylene sulphonate	1300-72-7	3 - 7
Alcohols, C12-15, ethoxylated propoxylated	68551-13-3	1 - 5

4. First Aid Measures

First aid procedures			
Eye contact	Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention immediately.		
Skin contact	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.		
Inhalation	Remove affected person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.		
Ingestion	Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.		
Notes to physician	Symptoms may be delayed.		

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

Avoid breathing vapors or mists of this product. Keep container tightly closed. Use only with adequate ventilation. Wash thoroughly after

Flammable properties	Not flammable by WHMIS/OSHA criteria.			
Extinguishing media				
Suitable extinguishing media	Water spray. Fog. Dry chemical. Carbon dioxide.			
Unsuitable extinguishing media	Not available			
Protection of firefighters				
Specific hazards arising from the chemical	Not available			
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.			
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Oxides of sulphur.			
Explosion data				
Sensitivity to mechanical impact	Not available			
Sensitivity to static discharge	Not available			

5. Fire Fighting Measures

6. Accidental Release Measures

Personal precautions	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.			
Environmental precautions	Do not discharge into lakes, streams, ponds or public waters.			
Methods for containment	Stop leak if you can do so without risk. Prevent entry into waterways, sewers, baseme or confined areas.			
Methods for cleaning up	Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use.			
	7. Handling and Storage			
Handling	Use good industrial hyglene practices in handling this material. When using do not eat or drink. Avoid contact with skin and clothing.			

Store in a closed container away from incompatible materials.

Avoid contact with eyes.

Keep out of reach of children.

handling.

Storage

Exposure limits Ingredient(s)	Exposure Limits	
Alcohols, C12-15, ethoxylated propoxyla	ated ACGIH-TLV	
· · ·	Not established	
	OSHA-PEL	
	Not established	
Ethylene glycol monobutyl ether	ACGIH-TLV	
	TWA: 20 ppm	
	OSHA-PEL	
	TWA: 50 ppm	
Sodium xylene sulphonate	ACGIH-TLV	
	Not established	
	OSHA-PEL	
	Not established	
Engineering controls	General ventilation normally adequate.	
Personal protective equipment		
Eye / face protection	Wear safety glasses with side shields.	
Hand protection	Rubber gloves. Confirm with a reputable supplier first.	
Skin and body protection	As required by employer code.	
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.	
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.	

8. Exposure Controls / Personal Protection

9. Physical and Chemical Properties

Appearance	Clear.
Color	Green
Form	Liquid
Odor	butyl
Odor threshold	Not available
Physical state	Liquid
рН	8 (Concentrate)
Melting point	Not available
Freezing point	32.00 °F (0 °C)
Boiling point	212.00 °F (100 °C)
Pour point	Not available
Evaporation rate	Not available
Flash point	None to boiling
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	1.02
Octanol/water coefficient	Not available
Solubility (H2O)	Complete
VOC (Weight %)	5.3
Viscosity	Not available
Percent volatile	91

10. Stability and Reactivity

Reactivity	Reacts vigorously with acids.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizers.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Oxides of sulphur.

11. Toxicological Information

Component analysis - LC50 Ingredient(s)	LC50		
Alcohols, C12-15, ethoxylated propo	ylated Not available		
Ethylene glycol monobutyl ether	2.21 mg/l/4h rat		
Sodium xylene sulphonate	Not available		
Component analysis - Oral LD50			
Ingredient(s)	LD50		
Alcohols, C12-15, ethoxylated propo	ylated 1200 mg/kg rat		
Ethylene glycol monobutyl ether	470 mg/kg rat; 320 mg/kg rabbit		
Sodium xylene sulphonate	7200 mg/kg rat		
Effects of acute exposure			
Eye	May cause irritation.		
Skin	May cause irritation. May be absorbed through the skin.		
NIOSH - Pocket Guide - Skin Nota	ons		
Ethylene glycol monobutyl ether	11-76-2 Potential for dermal absorption		
Inhalation	Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).		
Ingestion	May cause stomach distress, nausea or vomiting.		
Sensitization	Non-hazardous by WHMIS/OSHA criteria.		
Chronic effects	Non-hazardous by WHMIS/OSHA criteria.		
Carcinogenicity	See below.		
ACGIH - Threshold Limit Values	arcinogens		
Ethytene glycol monobutyl ether IARC - Group 3 (Not Classiflable)	11-76-2 A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans		
Ethylene glycol monobutyl ether	11-76-2 Monograph 88 (2006)		
Mutagenicity	Non-hazardous by WHMIS/OSHA criteria.		
Reproductive effects	Non-hazardous by WHMIS/OSHA criteria.		
Teratogenicity	Non-hazardous by WHMIS/OSHA criteria.		
Name of Toxicologically Synergis Products	c Not available		

12. Ecological Information

Ecotoxicity	Components of this product have been identified as having potential environmental concerns.			
Ecotoxicity - Freshwater Fish - A	cute Toxicity Data			
Ethylene glycol monobutyl ether	111 - 76-2	96 Hr LC50 Lepomis macrochirus: 1490 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 2950 mg/L		
Ecotoxicity - Water Flea - Acute	Toxicity Data			
Ethylene glycol monobulyl ether	111-76-2	24 Hr EC50 Daphnia magna: 1698 - 1940 mg/L; 48 Hr EC50 Daphnia magna: >1000 mg/L		
Persistence / degradability	Not available			
Bioaccumulation / accumulation	Not available)		
Mobility in environmental media	Not available	3		
Environmental effects	Not available			

A mustic toxicity	Not available				
equatic toxicity Not available Not available					
Chemical fate information	Not available				
Other adverse effects	Not available				
	13. Disposal Considerations				
Disposal instructions	Dispose in accordance with all applicable regulations.				
Waste from residues / unused products	Not available				
Contaminated packaging	Not available				
	14. Transport Information				
U.S. Department of Transportation (D	OT)				
Not regulated as dangerous goods.					
Transportation of Dangerous Goods	(TDG - Canada)				
Not regulated as dangerous goods.					
Longen,	15. Regulatory Information				
Canadian federal regulations	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.				
Canada - CEPA - Schedule I - List of	Toxic Substances				
	76-2 Present				
Ethylene glycol monobutyl ether 111	.76-2 1 %				
WHMIS status	Controlled				
WHMIS classification	Class D - Division 2B				
WHMIS labeling					
()					
Occupational Safety and Health Adm	inistration (OSHA)				
29 CFR 1910.1200 hazardous chemical	Yes				
US Federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.				
CERCLA (Superfund) reportable quan	ntity				
Superfund Amendments and Reauth	prization Act of 1986 (SARA)				
Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No				
Section 302 extremely hazardous substance	No				
Section 311 hazardous chemical	Yes				
Clean Air Act (CAA)	Not available				
Clean Water Act (CWA)	Not available				

State regulations		duct does not contain a chemical known to the State birth defects or other reproductive harm.	e of California to cause
U.S California - 8 CCR Section	n 339 - Director	's List of Hazardous Substances	
Ethylene glycol monobutyl elher U.S Massachusetts - Right To	111-76-2 Know List	Present	
Ethylene glycol monobutyl ether U.S Minnesota - Hazardous St	111-76-2 ubstance List	Present	
Ethylene glycol monobutyl ether U.S New Jersey - Right to Kno	111-76-2 w Hazardous :	Skin Substance List	
Ethylene glycol monobutyl ether U.S Pennsylvania - RTK (Righ	111-76-2 I to Know) List	sn 0275	
Ethylene glycol monobutyl ether U.S Rhode Island - Hazardous	111-76-2 Substance Lis	Present st	
Ethylene glycol monobutyl ether	111-76-2	Toxic (skin)	
Inventory name			
Country(s) or region	Inventory name		On inventory (yes/no)*
Canada	Domestic Substances List (DSL)		Yes
Canada	Non-Domestic Substances List (NDSL)		No
United States & Puerto Rico	Toxic S	ubstances Control Act (TSCA) Inventory	Yes
A "Yes" indicates that all compone	ents of this prod	uct comply with the inventory requirements administered b	y the governing country(s)

16. Other Information

LEGEND HMIS/NFPA		Health / 1
Severe Serious Moderate Slight Minimal	4 3 2 1 0	Flammability 0 Physical Hazard 0 Personal Protection X
Disclaimer		Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable tegistation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.
Issue date		13-Jun-2011
Effective date		31-Jul-2011
Expiry date		31-Jul-2014
Prepared by		Nu-Calgon Technical Service (314) 469-7000
Other information	1	For an updated MSDS, please contact the supplier/manufacturer listed on the first

page of the document.

(