SAFETY DATA SHEET



1. Identification

Product identifier	SUPER SHINE-ALL	
Other means of identification		
SDS number	578N65A	
Product code	HIL00140	
Recommended use	Neutral Cleaner	
Recommended restrictions	For Labeled Use Only	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Company name	HILLYARD INDUSTRIES	
Address	302 North Fourth St.	
	St. Joseph, MO 64501	

Contact person	Regulatory Affairs	
Telephone number	(816) 233-1321 (Ext. 8285)	
Fax	(816) 383-8485	
E-mail	regulatoryaffairs@hillyard.com	
Emergency telephone #	(800) 424-9300	
	(Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident involving chemicals)	

2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Serious eye damage/eye irritation	Category 2B	
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Hazard symbol	None.		
Signal word	Warning		
Hazard statement	Causes eye irritation.		
Precautionary statement			
Prevention	Wash thoroughly after handling. Observe good industrial hygiene practices.		
Response	If in eyes: Rinse cautiously with water for several easy to do. Continue rinsing. If eye irritation	veral minutes. Remove contact lenses, if present and persists: Get medical advice/attention.	
Storage	Store away from incompatible materials.		
Disposal	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law. Waste from normal use may be sewered to a public-owned treatment works in compliance with applicable federal, state and local requirements. CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer clean, dry container for recycling or reconditioning.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	ventilation. Wash thoroughly after handling. I not in use. If prolonged or repeated contact i	void breathing spray mist. Use with adequate Do not take internally. Keep container closed when s possible, wear rubber or other impervious gloves nproper dilution can lead to adverse health effects.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%	
Fragrance		Mixture	0.3	
Camphor		76-22-2	0.003	
Pin-2(3)-ene		80-56-8	0.0004	
Other components below rep	ortable levels		99.90504	
Additional components	Common name and synonyms	CAS number	%	
Chemical name				
Fatty Acids, Tall-oil, Triethan	olamine Salts	67784-78-5	2 - < 3.05	
Tall Oil, Potassium Salt		68647-71-2	0.5 - < 1	

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Continue rinsing.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water.
oontaininont and oroaning ap	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Material name: SUPER SHINE-ALL HIL00140 Version #: 03 Revision date: 10-27-2016 Issue date: 03-11-2015

7. Handling and storage

Precautions for safe handling Avoid contact with eyes. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value
Camphor (CAS 76-22-2)	PEL	2 mg/m3
US. ACGIH Threshold Limit	Values	
Components	Туре	Value
Camphor (CAS 76-22-2)	STEL	3 ppm
	TWA	2 ppm
Pin-2(3)-ene (CAS 80-56-8)	TWA	20 ppm
US. NIOSH: Pocket Guide to	Chemical Hazards	
Components	Туре	Value
Camphor (CAS 76-22-2)	TWA	2 mg/m3
ological limit values	No biological exposure limits noted for the ingredient(s).	
propriate engineering ntrols	General ventilation normally adequa	ate.
dividual protection measures,	such as personal protective equipr	nent
Eye/face protection	Chemical splash goggles where the	re is a potential for eye contact.
Skin protection		
Hand protection	For prolonged or repeated skin contact use suitable protective gloves.	
Other	None normally required. If unable to avoid prolonged or repeated contact with skin, wear impervious clothing.	
Respiratory protection	No personal respiratory protective equipment normally required.	
Thermal hazards	None known.	
eneral hygiene nsiderations		ene measures, such as washing after handling the materia smoking. Routinely wash work clothing and protective

9. Physical and chemical properties

Appearance	Clear, light amber liquid (darkens with age)	
Physical state	Liquid.	
Form	Liquid.	
Color	Light Amber, Will darken with age.	
Odor	Sassafras odor	
Odor threshold	Not available	
рН	8 - 9 (diluted 1:128) 9 - 9.3	
Melting point/freezing point	Not available	
Initial boiling point and boiling range	205 °F (96.11 °C)	
Flash point	> 205.0 °F (> 96.1 °C) Tag Closed Cup	
Evaporation rate	< 1 Ethyl ether = 1	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits		
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	

Vapor pressure	17.63 mm Hg
Vapor density	0.6314 Air=1
Relative density	1.0076 at 77°F
Solubility(ies)	
Solubility (water)	100 % Complete
Partition coefficient (n-octanol/water)	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Other information	
Density	8.39 lb/gal
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	87 - 88 %
VOC	0.62 %
10 Stability and reactivit	N7

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure			
Inhalation	Prolonged inhalation may be harmful.		
Skin contact	No adverse effects due to skin contact are expected.		
Eye contact	Causes eye irritation.		
Ingestion	Expected to be a low ingestion hazard.		
Symptoms related to the physical, chemical and toxicological characteristics	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.		

Information on toxicological effects

Acute toxicity	Not known.	Test Results
Product	Species	
SUPER SHINE-ALL		
Acute		
Dermal		
LD50	Guinea pig	547 ml/kg estimated
Inhalation		
LC50	Mouse	6183 mg/l, 4 Hours estimated
Oral		
LD50	Guinea pig	435 g/kg estimated
	Rabbit	2189 g/kg estimated
	Rat	48865 mg/kg estimated

Camphor (CAS 76-22-2)	Species	Test Results	
<u>Acute</u>			
Oral			
LD50	Mouse	1310 mg/kg	
Pin-2(3)-ene (CAS 80-56-8)			
<u>Acute</u>			
Oral			
LD50	Rat	3700 mg/kg	
* Estimates for product may	be based on additiona	l component data not shown.	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye rritation	Causes eye irritation.		
Respiratory or skin sensitizatio	on		
ACGIH sensitization			
Pin-2(3)-ene (CAS 80-5	6-8)	Dermal sensitization	
Respiratory sensitization	Not a respiratory s	ensitizer.	
Skin sensitization	This product is not	expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
IARC Monographs. Overal	Evaluation of Carcin	ogenicity	
Not listed. US. National Toxicology P Not listed.	rogram (NTP) Report	on Carcinogens	
US. OSHA Specifically Reg Not regulated.	gulated Substances (29 CFR 1910.1001-1050)	
Reproductive toxicity	This product is not	expected to cause reproductive or developmental effects.	
Specific target organ toxicity -	Not classified.		
single exposure			
	Not classified.		
single exposure Specific target organ toxicity - repeated exposure	Not classified. Prolonged inhalatio	n may be harmful.	
single exposure Specific target organ toxicity - repeated exposure Aspiration hazard		-	
single exposure Specific target organ toxicity - repeated exposure Aspiration hazard Chronic effects	Prolonged inhalation Prolonged inhalation	-	
single exposure Specific target organ toxicity - repeated exposure Aspiration hazard	Prolonged inhalation Prolonged inhalation Prolonged inhalation Product is not	-	
single exposure Specific target organ toxicity - repeated exposure Aspiration hazard Chronic effects 12. Ecological informatio	Prolonged inhalation Prolonged inhalation Prolonged inhalation Prolonged inhalation The product is not possibility that larg	n may be harmful. classified as environmentally hazardous. However, this does not exclude the	
single exposure Specific target organ toxicity - repeated exposure Aspiration hazard Chronic effects 12. Ecological informatio Ecotoxicity	Prolonged inhalation Prolonged inhalation Prolonged inhalation Prolonged inhalation The product is not possibility that larg	n may be harmful. classified as environmentally hazardous. However, this does not exclude the e or frequent spills can have a harmful or damaging effect on the environmer	
single exposure Specific target organ toxicity - repeated exposure Aspiration hazard Chronic effects 12. Ecological informatio Ecotoxicity Product	Prolonged inhalation Prolonged inhalation Prolonged inhalation Prolonged inhalation The product is not possibility that larg	n may be harmful. classified as environmentally hazardous. However, this does not exclude the e or frequent spills can have a harmful or damaging effect on the environmer	
Single exposure Specific target organ toxicity - repeated exposure Aspiration hazard Chronic effects 12. Ecological informatio Ecotoxicity Product SUPER SHINE-ALL	Prolonged inhalation Prolonged inhalation Prolonged inhalation Prolonged inhalation Inhe product is not possibility that larg	n may be harmful. classified as environmentally hazardous. However, this does not exclude the e or frequent spills can have a harmful or damaging effect on the environmer	
single exposure Specific target organ toxicity - repeated exposure Aspiration hazard Chronic effects 12. Ecological informatio Ecotoxicity Product SUPER SHINE-ALL Aquatic	Prolonged inhalation Prolonged inhalation Prolonged inhalation Prolonged inhalation Inhe product is not possibility that larg	on may be harmful. classified as environmentally hazardous. However, this does not exclude the e or frequent spills can have a harmful or damaging effect on the environmer acies Test Results ohnia 520.0806 mg/l, 48 hours estimated	
single exposure Specific target organ toxicity - repeated exposure Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Product SUPER SHINE-ALL Aquatic Crustacea Fish	Prolonged inhalation Prolonged inhalation The product is not possibility that larg Sport EC50 Day LC50 Fish	n may be harmful. classified as environmentally hazardous. However, this does not exclude the e or frequent spills can have a harmful or damaging effect on the environmer ecies Test Results ohnia 520.0806 mg/l, 48 hours estimated 911.7877 mg/l, 96 hours estimated	
Single exposure Specific target organ toxicity - repeated exposure Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Product SUPER SHINE-ALL Aquatic Crustacea Fish * Estimates for product may	Prolonged inhalation Prolonged inhalation The product is not possibility that larg Spot EC50 Day LC50 Fish be based on additional	n may be harmful. classified as environmentally hazardous. However, this does not exclude the e or frequent spills can have a harmful or damaging effect on the environmer recies Test Results ohnia 520.0806 mg/l, 48 hours estimated n 911.7877 mg/l, 96 hours estimated I component data not shown.	
single exposure Specific target organ toxicity - repeated exposure Aspiration hazard Chronic effects 12. Ecological informatio Ecotoxicity Product SUPER SHINE-ALL Aquatic Crustacea Fish * Estimates for product may Persistence and degradability Bioaccumulative potential	Prolonged inhalation Prolonged inhalation The product is not possibility that larg Sport EC50 Day LC50 Fish be based on additiona No data is availabl	n may be harmful. classified as environmentally hazardous. However, this does not exclude the e or frequent spills can have a harmful or damaging effect on the environmer ecies Test Results ohnia 520.0806 mg/l, 48 hours estimated 911.7877 mg/l, 96 hours estimated	
Single exposure Specific target organ toxicity - repeated exposure Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Product SUPER SHINE-ALL Aquatic Crustacea Fish * Estimates for product may Persistence and degradability Bioaccumulative potential Partition coefficient n-octa	Prolonged inhalation Prolonged inhalation The product is not possibility that larg Sport EC50 Day LC50 Fish be based on additiona No data is availabl	An may be harmful. Classified as environmentally hazardous. However, this does not exclude the e or frequent spills can have a harmful or damaging effect on the environmer Test Results Ohnia 520.0806 mg/l, 48 hours estimated 911.7877 mg/l, 96 hours estimated I component data not shown. e on the degradability of this product.	
single exposure Specific target organ toxicity - repeated exposure Aspiration hazard Chronic effects 12. Ecological informatio Ecotoxicity Product SUPER SHINE-ALL Aquatic Crustacea Fish * Estimates for product may Persistence and degradability Bioaccumulative potential	Prolonged inhalation Prolonged inhalation The product is not possibility that larg Sport EC50 Day LC50 Fish be based on additiona No data is availabl	n may be harmful. classified as environmentally hazardous. However, this does not exclude the e or frequent spills can have a harmful or damaging effect on the environmer recies Test Results ohnia 520.0806 mg/l, 48 hours estimated n 911.7877 mg/l, 96 hours estimated I component data not shown.	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Waste from normal product use may be sewered to a public owned treatment works (POTW) in compliance with applicable Federal, State, and local pretreatment requirements.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Hazard categories

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance Not listed.

SARA 311/312 Hazardous chemical

SARA 313 (TRI reporting) Not regulated.

Not regulated.

Other federal regulations

Safe Drinking Water Act Not regulated. (SDWA)

Material name: SUPER SHINE-ALL HIL00140 Version #: 03 Revision date: 10-27-2016 Issue date: 03-11-2015

US state regulations

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region Inventory name

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

On inventory (yes/no)*

Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	03-11-2015
Revision date	10-27-2016
Version #	03
Further information	This product meets Green Seal [™] Standard GS-37 based on effective performance, concentrated volume, minimized/recycled packaging, and protective limits on VOCs and human & environmental toxicity. GreenSeal.org.
HMIS® ratings	Health: 1 Flammability: 0 Physical hazard: 0
Disclaimer	No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products. HILLYARD cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.