

## **Safety Data Sheet**

# Hydrogen Peroxide 30%

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Hydrogen Peroxide 30%

Synonyms/Generic Names: Peroxide

**Product Number: 2676** 

Product Use: Industrial, Manufacturing or Laboratory use

Manufacturer: Columbus Chemical Industries, Inc.

N4335 Temkin Rd. Columbus, WI. 53925

For More Information Call: 920-623-2140 (Monday-Friday 8:00-4:30)

In Case of Emergency Call: CHEMTREC - 800-424-9300 or 703-527-3887 (24 Hours/Day, 7 Days/Week)

## 2. HAZARDS INDENTIFICATION

OSHA Hazards: Oxidizer, Target organ effect, Toxic by ingestion, Corrosive, Carcinogen

Target Organs: Eyes, Skin, Respiratory system

Signal Words: Danger

**Pictograms:** 







#### **GHS Classification**

Oxidizing liquids	Category 1
Acute toxicity, Dermal	Category 4
Acute toxicity, Oral	Category 4
Skin corrosion	Category 1A
Eye irritation	Category 1
Acute aquatic toxicity	Category 3

#### **GHS Label Elements, including precautionary statements:**

#### **Hazard Statements:**

H271	May cause fire or explosion; strong oxidizer		
H302	Harmful if swallowed		
H314	Causes severe skin burns and eye damage		
H402	Harmful to aquatic life		

Revised on 05/28/2015 Page 1 of 6

**Precautionary Statements:** 

Keep away from heat/sparks/open flames/hot surfaces. No smoking.		
Keep/Store away from clothing and other combustible materials.		
Take any precaution to avoid mixing with combustibles.		
Do not breathe dust/fume/gas/mist/vapors/spray.		
Wash hands thoroughly after handling.		
Do not eat, drink or smoke when using this product.		
Avoid release to the environment.		
Wear protective gloves/protective clothing/eye protection/face protection.		
Wear fire/flame resistant/retardant clothing.		
IF SWALLOWED: Rinse mouth. Do not induce vomiting.		
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse		
skin with water/shower.		
F INHALED: Remove person to fresh air and keep comfortable for		
breathing.		
IF IN EYES: Rinse cautiously with water for several minutes. Remove		
contact lenses, if present and easy to do. Continue rinsing.		
Immediately call a POISON CENTER/doctor/physician.		
Wash contaminated clothing before reuse.		
In case of fire: Use appropriate media to extinguish.		
In case of major fire and large quantities: Evacuate area. Fight fire remotely		
due to the risk of explosion.		
Store locked up.		
Dispose of contents/container in accordance with local regulations.		

#### **Potential Health Effects**

Eyes	May cause serious damage.	
Inhalation	Irritating to the respiratory system. Causes irritation to the respiratory tract.	
Skin	Irritating to skin. Contact causes redness, burns, itching and pain. Prolonged or repeated	
	skin exposure may cause dermatitis.	
Ingestion	Causes irritation and pain.	

**NFPA Ratings** 

Health	3
Flammability	0
Reactivity	1
Specific hazard	OX

**HMIS Ratings** 

Thinb Ratings		
Health	3	
Fire	0	
Reactivity	1	
Personal	D	

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS#	EINECS# / ELINCS#	Formula	Molecular Weight
Hydrogen Peroxide	29-31	7722-84-1	231-765-0	H <sub>2</sub> O <sub>2</sub>	34.01 g/mol
Water	Balance	7732-18-5	231-791-2	H <sub>2</sub> O	18.00 g/mol

## 4. FIRST-AID MEASURES

Eyes	Rinse with plenty of water for at least 15 minutes and seek medical attention immediately.		
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not		
	breathing, give artificial respiration. Get medical attention.		
Skin	Immediately flush with plenty of water for at least 15 minutes while removing contaminated		
	clothing and wash using soap. Get medical attention immediately.		

Revised on 05/28/2015 Page 2 of 6

Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If			
	conscious, wash out mouth with water. Get medical attention immediately.			

#### 5. FIREFIGHTING MEASURES

Suitable (and unsuitable)	Use water spray, alcohol-resistant foam, dry chemical or carbon		
extinguishing media	dioxide. Use flooding quantities of water to cool containers.		
Special protective equipment	Wear self-contained, approved breathing apparatus and full protective		
and precautions for firefighters	clothing, including eye protection and boots.		
Specific hazards arising from	Product components will burn producing oxygen. (See also Stability and		
the chemical	Reactivity section).		

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	See section 8 for recommendations on the use of personal protective equipment.
Environmental precautions	Prevent spillage from entering drains. Any release to the environment may be subject to federal/national or local reporting requirements.
Methods and materials for containment and cleaning up	Neutralize spill with sodium bicarbonate or lime. Absorb spill with noncombustible absorbent material, then place in a suitable container for disposal. Clean surfaces thoroughly with water to remove residual contamination. Dispose of all waste and cleanup materials in accordance with regulations.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use.

#### Conditions for safe storage, including any incompatibilities

Store in cool, dry well ventilated area. Isolate from combustible material. Store in the dark. Keep away from incompatible materials (see section 10 for incompatibilities).

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Occupational exposure controls:

Component	Exposure Limits	Basis	Entity
Hydrogen Peroxide	1 ppm 1.4 mg/m <sup>3</sup>	TLV	ACGIH
	1 ppm 1.4 mg/m <sup>3</sup>	PEL	OSHA
	1 ppm 1.4 mg/m <sup>3</sup>	REL	NIOSH

TWA: Time Weighted Average over 8 hours of work. TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health

Revised on 05/28/2015 Page 3 of 6

WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

#### **Personal Protection**

Eyes	Wear chemical safety glasses with a face shield for splash protection.	
Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an	
	approved respirator.	
Skin	Wear neoprene or nitrile gloves, apron and other protective clothing appropriate to the	
	risk of exposure.	
Other	Not Available	

#### **Other Recommendations**

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling. Have supplies and equipment for neutralization and running water available.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Clear, colorless liquid
Odor	No Odor
Odor threshold	Not Applicable
pH	Not Available
Melting point/freezing point	Not Available
Initial boiling point and boiling range	Not Available
Flash point	Not Flammable
Evaporation rate	Not Available
Flammability (solid, gas)	Not Flammable
Upper/lower flammability or explosive limit	Not Explosive
Vapor pressure	Not Available
Vapor density	Not Available
Relative density	Not Available
Solubility (ies)	Completely soluble in water
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	Not Applicable
Decomposition temperature	Not Available

## 10. STABILITY AND REACTIVITY

Chemical Stability	Stable
Possibility of Hazardous Reactions	Will not occur.
Conditions to Avoid	Store out of direct light
Incompatible Materials	Brass, Copper, Powdered metals, Iron, Iron and iron salts,
	combustible materials
Hazardous Decomposition Products	Not Available

#### 11. TOXICOLOGICAL INFORMATION

## **Acute Toxicity**

Hydrogen Peroxide

Skin	LD50 Dermal – rat – 4060 mg/kg
Eyes	Not Available
Respiratory	Not Available
Ingestion	LD50 Oral – mouse – 2000 mg/kg

Revised on 05/28/2015 Page 4 of 6

Carcinogenicity

IARC	3-Group 3: Not classifiable as to its carcinogenicity to humans (hydrogen peroxide).
ACGIH	A3: Confirmed animal carcinogen with unknown relevance to humans.
NTP	No components of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA	No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Signs & Symptoms of Exposure

Skin	Redness, burning, itching and pain.
Eyes	Eye burns, pain, watering eyes.
Respiratory	Coughing, shortness of breath, burning, choking, coughing, wheezing, laryngitis, headache
	or nausea.
Ingestion	Causes irritation and pain.

Chronic Toxicity	Not Available
Teratogenicity	Not Available
Mutagenicity	Not Available
Embryotoxicity	Not Available
Specific Target Organ Toxicity	Not Available
Reproductive Toxicity	Not Available
Respiratory/Skin Sensitization	Not Available

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Hydrogen Peroxide

Aquatic Vertebrate	Not Available
Aquatic Invertebrate	Not Available
Terrestrial	Not Available

Persistence and Degradability	Not Available
Bioaccumulative Potential	Not Available
Mobility in Soil	Not Available
PBT and vPvB Assessment	Not Available
Other Adverse Effects	Not Available

## 13. DISPOSAL CONSIDERATIONS

Waste Product or	Users should review their operations in terms of the applicable federal/national or
Residues	local regulations and consult with appropriate regulatory agencies if necessary before
	disposing of waste product or residue.
Product	Users should review their operations in terms of the applicable federal/national or
Containers	local regulations and consult with appropriate regulatory agencies if necessary
	before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

Revised on 05/28/2015 Page 5 of 6

#### 14. TRANSPORTATION INFORMATION

US DOT	UN2014, Hydrogen peroxide, aqueous solutions 5.1, (8), pg II
TDG	UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS 5.1, (8), PG II
IMDG	UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS 5.1, (8), PG II
Marine Pollutant	No
IATA/ICAO	UN2014, Hydrogen peroxide, aqueous solutions 5.1, (8), pg II

#### 15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA inventory.
DSCL (EEC)	All ingredients are listed on the DSCL inventory.
California Proposition 65	Not Listed
SARA 302	Listed: Hydrogen Peroxide
SARA 304	Listed: Hydrogen Peroxide
SARA 311	Acute Health Hazard, Reactivity Hazard
SARA 312	Acute Health Hazard, Reactivity Hazard
SARA 313	Listed: Hydrogen Peroxide
WHMIS Canada	Class C: Oxidizing Material
	Class D-2B: Toxic Material Causing Other Toxic Effects

#### 16. OTHER INFORMATION

Revision	Date
Revision 1	12/03/2012
Revision 2	05/28/2015

Disclaimer: Columbus Chemical Industries, Inc. ("Columbus") believes that the information herein is factual but is not intended to be all inclusive. The information relates only to the specific material designated and does not relate to its use in combination with other materials or its use as to any particular process. Because safety standards and regulations are subject to change and because Columbus has no continuing control over the material, those handling, storing or using the material should satisfy themselves that they have current information regarding the particular way the material is handled, stored or used and that the same is done in accordance with federal, state and local law. COLUMBUS MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE.

Revised on 05/28/2015 Page 6 of 6