

Page 1/5 Printing date 03/31/2017 Revision date 03/30/2017 Version 1

1 Identification

Product identifier

Product name: Ethylene glycol

Stock number: A11591 CAS Number: EC number: Index number: 603-027-00-1

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department
Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS08 Health hazard

STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.



Acute Tox. 4 H302 Harmful if swallowed.

Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS07 GHS08

Signal word Warning

Hazard statements

H302 Harmful if swallowed.
H303 Harmful if swallowed.
H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P301+P312 IF SWALL OWED: Call a POISON CENTER/doctor if you feel unwell.
P330 Get medical advice/attention if you feel unwell.
P330 Rinse mouth.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations. **WHMIS classification**

D2A - Very toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 1 Flammability = 1
Physical Hazard = 1

Other hazards Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description:
107-21-1 Ethylene glycol
Concentration: ≤100% Identification number(s): EC number: 203-473-3 Index number: 603-027-00-1

Safety Data Sheet acc. to OSHA HCS

Page 2/5 Printing date 03/31/2017 Revision date 03/30/2017 Version 1

Product name: Ethylene glycol

(Contd. of page 1)

4 First-aid measures

Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.
Information for doctor

Most important symptoms and effects, both acute and delayed Harmful if swallowed.

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide

Advice for firefighters Protective equipment: Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away Ensure adequate ventilation

Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Prevention of secondary hazards: No special measures required.
Reference to other sections
See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1: 30 ppm PAC-2: 150 ppm PAC-3: 900 ppm

7 Handling and storage

Handling Precautions for safe handling

Handle under dry protective gas. Keep container tightly sealed.

Reep container tightly seared.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from water/moisture. Do not store together with acids.

Store away from strong bases. Store away from oxidizing agents. Further information about storage conditions:

Store under dry inert gas.

This product is hygroscopic. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.

Protect from humidity and water.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:

107-21-1 Ethylene glycol (100.0%)

Norther Grycon (100.0%)

Short-term value: NIC-127* NIC-10** mg/m³, NIC-50* ppm

Long-term value: NIC-63.5* mg/m³, NIC-25* ppm

Ceiling limit value: (100) mg/m³

(H); *inh. fraction + vapor,P.**inh. fraction, H TLV (USA)

EL (Canada)

(11), Illii. Illaction; vapor, F. Illii. Illaction; Short-term value: 20** mg/m³ Long-term value: 10** mg/m³, 50*** ppm *Aerosol; **Particulate; ***Vapour

EV (Canada) Ceiling limit value: 100 mg/m3

Additional information: No data

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Page 3/5 Printing date 03/31/2017 Revision date 03/30/2017 Version 1

Product name: Ethylene glycol

(Contd. of page 2)

Exposure controls

Personal protective equipment

General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.

Wash nands before breaks and at the end of work.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).

Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. **Material of gloves** Nitrile rubber, NBR

Penetration time of glove material (in minutes) 480
Glove thickness: 0.11 mm
Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU)
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form:

Liquid

Odor: Odor threshold: Not determined.

pH-value: Not determined.

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: -13° °C (9° °F) 196-198° °C (385-388° °F) Not determined

Flash point: 119 °C (246 °F) Not determined

Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: 410 °C (770 °F, Not determined Auto igniting: Not determined

Danger of explosion: Explosion limits: Not determined.

3.2 Vol % 15.3 Vol % 0.08 hPa Lower: Upper: Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Vapor density

1.113 g/cm³ (9.288 lbs/gal)

Not determined. Not determined. Evaporation rate Solubility in / Miscibility with Not determined.

Water: Fully miscible Partition coefficient (n-octanol/water): Not determined. Viscosity:

dynamic at 20 °C (68 °F): kinematic: Other information Not determined.

No further relevant information available.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials:

Acids Water/moisture Oxidizing agents

Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects

Acute toxicity: Harmful if swallowed.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification:

LD50 4700 mg/kg (rat) Dermal LD50 9530 µL/kg (rabbit)

Skin irritation or corrosion: May cause irritation

Eye irritation or corrosion: May cause irritation
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

Carcinogenicity: The Registry of Toxic Enests of Communication Carcinogenicity:

ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

Reproductive toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance.

Specific target organ system toxicity - repeated exposure: May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral. (Contd. on page 4)

Page 4/5 Printing date 03/31/2017 Revision date 03/30/2017 Version 1

(Contd. of page 3)

Product name: Ethylene glycol

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable.

Not applicable.

Not applicable

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.
Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

UN-N	umbe	r	
DOT	ΔDN	IMDG	ΙΔΤ

UN proper shipping name DOT, ADR, ADN, IMDG, IATA

Transport hazard class(es)

DOT, ADR, ADN, IMDG, IATA

Class

Packing group DOT, ADR, IMDG, IATA

Environmental hazards:

Special precautions for user

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

Hazardous substance: Marine Pollutant (DOT):

5000 lbs, 2270 kg

UN "Model Regulation":

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS07 GHS08

Signal word Warning

Hazard statements H302 Harmful if swallowed.

H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P314 Get medical advice/attention if you feel unwell.
P330 Rinse mouth.
P501 Dispose of contents/contains. Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

107-21-1 Ethylene glycol

California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity

107-21-1 Ethylene glycol

Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Page 5/5 Printing date 03/31/2017 Revision date 03/30/2017 Version 1

Product name: Ethylene glycol

(Contd. of page 4)
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal dose, 50 percent
LD50: Lethal dose, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
VPB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
MTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Acute Tox. 4: Acute toxicity — Category 4
STOT RE 2: Specific target organ toxicity (repeated exposure) — Category 2

USA